


FACE FIX MAG LOCK - FD60


Isometric




Perspective



Plan



Front



Specification

Door: Timber Particle Board 54mm

L & Z Brackets can be used


Can be applied to either face

Armature Plate to be positioned (min) 70mm from edge of leaf & (min) 10mm from head of leaf

Title	Face Fix Mag Lock - FD60		
Code			
Sheet	1 of 3	Date	24/04/2024
Issue	2	Dwg No	FZD5326

FACE FIX MAG LOCK - FD60

Exploded View



*Lock Details For Illustrative Purpose Only.

Specification		Title	
Door: Timber Particle Board 54mm		Face Fix Mag Lock - FD60	
L & Z Brackets can be used		Code	
Can be applied to either face		Sheet	2 of 3
Armature Plate to be positioned (min) 70mm from edge of leaf & (min) 10mm from head of leaf		Issue	2
		Date	24/04/2024
		Dwg No	FZD5326

FACE FIX MAG LOCK - FD60

Installation Details



*Outward opening using flat mounting plate

*Lock Details For Illustrative Purpose Only Follow Manufacturer Installation Details

Specification

Door: Timber Particle Board 54mm

L & Z Brackets can be used
Can be applied to either face
Armature Plate to be positioned (min) 70mm from edge of leaf & (min) 10mm from head of leaf

Title	Face Fix Mag Lock - FD60		
Code			
Sheet	3 of 3	Date	24/04/2024
Issue	2	Dwg No	FZD5326