


# FACE FIX MAG LOCK - FD30


Isometric




Perspective



Plan



Front



## Specification


Door: Timber Particle Board 44 & 54mm

L & Z Brackets can be used  
Can be applied to either face  
Armature Plate to be positioned (min) 70mm from edge of leaf & (min) 10mm from head of leaf

Title	Face Fix Mag Lock - FD30		
Code			
Sheet	1 of 3	Date	24/04/2024
Issue	2	Dwg No	FZD5124

# FACE FIX MAG LOCK - FD30

Exploded View



\*Lock Details For Illustrative Purpose Only.

Specification

Door: Timber Particle Board 44 & 54mm

L & Z Brackets can be used  
Can be applied to either face  
Armature Plate to be positioned (min) 70mm from edge of leaf & (min) 10mm from head of leaf

Title	Face Fix Mag Lock - FD30		
Code			
Sheet	2 of 3	Date	24/04/2024
Issue	2	Dwg No	FZD5124

# FACE FIX MAG LOCK - FD30

## Installation Details



\*Outward opening using flat mounting plate

\*Lock Details For Illustrative Purpose Only Follow Manufacturer Installation Details

Specification		Title	Face Fix Mag Lock - FD30	
Door: Timber Particle Board 44 & 54mm	L & Z Brackets can be used	Code		
	Can be applied to either face	Sheet	3 of 3	Date 24/04/2024
	Armature Plate to be positioned (min) 70mm from edge of leaf & (min) 10mm from head of leaf	Issue	2	Dwg No FZD5124